

# Quickie 2 FSS NET ORDER FORM/PRICE LIST (SIN F-1)

EIQ2, Effective August 1, 2005 (Revised 11-7-05)

ORDERING INFORMATION PHONE: (800) 333-4000, FAX: (800) 300-7502, WEBSITE: www.sunrisemedical.com

	Α	CCOUNT I	NFORMATIO	N		
Account No	o:		Drop Ship	Ship To:		
Date:			Name:			
			Address:			
Buyer:			City:		State:	
Marked For:			Zip Code:_		Phone Number:	
	QUICKIE 2			Ith (Continued	1)	
	K0005 Quickie 2	\$801.99			15"	NC
	E1236 Quickie 2 Kids	\$801.99			16"	NC
	FRAMES	,			17"	NC
France True	Standard Frame - (250 lbs. Max. Weight Limit	:)			18"	NC
Frame Type		NC		F0004	19"	NC #100.00
	Rear Side Straight  Rear Side Rounded 1,2,6	NC NC		E2201		\$120.60
Transit Syst		NC			21" (Only Avail. Heavy Duty) 22" (Only Avail. Heavy Duty)	\$120.60 \$120.60
	Transit System <sup>3,4,5,6</sup>	\$126.63	Frame Len		22 (Only Avail. Heavy Duty)	\$120.00
Xtender Pov		φ120.03		igtii	Kids (10"-14")	NC
	E0986 Xtender Power Assist <sup>7</sup>	\$2,769.69			Regular (13"-16")	NC NC
Ytender Dw	Asst Handrim	φ2,709.09			Long (15"-18")	NC NC
	must choose one of the following torque options)				X-Long (17"-20") (Steel Reinforced)	NC
	3x Torque Multiplier (Plastic Coated)	NC			Hemi (13"-16") 6,12	NC
	1.5x Torque Multiplier (Stainless Steel)	NC			Long Hemi (15"-18") 6,12	NC
Xtender Pwi		110			X-Long Hemi (17"-20") <sup>6,12</sup> (Steel Rein.)	
	K0064 Xtender Airless Tire	\$57.75	Sling Dept	h	to being them (to be you (block them)	
	Xtender Pneumatic Tire	NC		••	10" 11	\$22.11
Xtender Pwi		110			11"	\$22.11
	Xtndr Spare Nimh Power Pack	\$367.29			12"	NC
Frame Colo	•	<b>***</b>			13"	\$22.11
	Black	NC			14"	NC
	Black Opal	NC			15"	\$22.11
	Blue	NC			16"	NC
	Blue Opal	NC			17" 13	\$22.11
	Blue Velvet	NC			18" <sup>13</sup>	\$22.11
	Candy Blue	NC			19" 13	\$30.15
	Candy Red	NC		E2203	20" 13	\$120.60
	Candy Turquoise	NC				
	Forest Green	NC	FOOTN	IOTES:		
	Midnight Purple	NC	1 Lowest	two axle plate p	ositions not available with rounded rear for	rame and 20"
	Orange	NC	rear wh	eels with 8" cast	ers.	
_ <u></u>	Pearl Pink	NC			adjustable back.	
	Razzleberry	NC	3 Include:	s a stabilizer bar		
	Toxic Green	NC	<sup>4</sup> Not ava	ailable with padd	ed swing-away armrests.	
	Yellow	NC		ailable with strolle		
<b>Custom Col</b>	ors		<sup>6</sup> Not ava	ailable with Xtend	der Power Assist Option.	
	Berry Vibrations	\$84.42	7 Rear ax	de position only	available at 18.5" seat height (front seat l	height should
	Graphite	\$84.42	be grea	iter).		
	Stars and Stripes	NC	<sup>8</sup> Not ava	ailable with kids f	rame length.	
	Mossy Oak Camouflage	\$84.42	<sup>9</sup> Heavy o	duty package inc	cludes: Tri-Cross Brace, Reinforced Back	<ul><li>Upholstery</li></ul>
<b>Heavy-Duty</b>	- (350 lbs. Max. Weight Limit)			abilizer Bar.		
	Heavy Duty (18"-22" w. only) <sup>6,8,9</sup>	\$201.00		ailable with Jay F		
Frame Widtl				ilable with heav	y duty option.	
	11" (by upholstery) 10	NC		angers only.		
	12"	NC	13 Availab	le only on long fi	rame or extra long for 19"-20" deep. Extr	a long frame
	13"	NC	is steel	reinforced.		
	1 4"	NC				

Quickie 2, August 2005 V797P-3821K

shic		SEATING	
	on		
		2" Cushion	\$38.19
		Omit Cushion	N
		Omit Sling	-\$6.0
		CK TYPE - Choose 1, 2, or 3	
	NDARD BACKRES	T <sup>2</sup>	
		Low (8.5"-12")	N
		Medium (12"-15.5")	N
		Tall (15.5"-19")	N
	<b>Backrest Options (</b>	Available w/Option 1 or 2)	
		Push Handle 8° (Med. or Tall only, NA opt. 2)	\$10.0
		Adjustable Upholstery 3,4	\$60.3
		Reinforced <sup>1</sup>	\$12.0
		Omit Push Handle Straight (N/A w/HD)	-\$4.0
		Omit Back Upholstery	-\$6.0
		Omit Back Post and Upholstery	-\$14.0
	E0956	Jay Precision Med w/Laterals 3,5,6	\$126.6
	E0956	Jay Precision Tall w/Laterals 3,5,6	\$138.6
		Jay Precision Med omit laterals <sup>3,5,6</sup>	\$126.6
		Jay Precision Tall omit laterals 3,5,6	\$138.6
	E1028 <sup>25</sup>	Lateral Pad Symmetric SA	\$136.6
	E0956	Lateral Pad Symmetric	\$76.3
	E0956	Lateral Pad Asymmetric	\$76.3
	E1028 <sup>25</sup>	Lateral Pad Asymmetric Swing Away	\$136.6
	L1020	Folding Stabilizer Bar 3,7,8	\$136.6
	Headrest Options	r during Stabilizer Bai	φ130.0
	Headrest Options	Curved Headrest 8" x 4.5" <sup>24</sup>	<b>0100</b> F
	E0955 E0955	Curved Headrest 9" x 4.5" <sup>24</sup>	\$108.5
	E0900		\$108.5
	Stroller Handles 3,9	Universal Mount Plate	N
	Stroller natioles		
		Regular Stroller Handles	\$50.2
		Tall Stroller Handles	\$50.2
	LE ADJUSTABLE E	Tall Stroller Handles (SA Arm)	\$50.2
ANIC			
ANG		· · · · · · · · · · · · · · · · · · ·	
ANG	(Select pivot point,	back height and back tube - see	
		back height and back tube - see	<b>\$66.2</b>
	(Select pivot point,	back height and back tube - see  Angle Adjustable Regular Pivot <sup>12</sup>	
	(Select pivot point,	back height and back tube - see  Angle Adjustable Regular Pivot <sup>12</sup> Angle Adjustable Pivot 3°	N
	(Select pivot point,	Angle Adjustable Regular Pivot <sup>12</sup> Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°	\$66.3 NO
	(Select pivot point,	Angle Adjustable Regular Pivot <sup>12</sup> Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°	NO NO
	(Select pivot point,	Angle Adjustable Regular Pivot <sup>12</sup> Angle Adjustable Pivot 3° Angle Adjustable Pivot 4° Angle Adjustable Pivot 5° Angle Adjustable Tall Pivot <sup>12</sup>	NO NO \$66.3
	(Select pivot point,	Angle Adjustable Regular Pivot <sup>12</sup> Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot <sup>12</sup> Angle Adjustable Pivot 5°	NO NO \$66.3
	(Select pivot point,	Angle Adjustable Regular Pivot <sup>12</sup> Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot <sup>12</sup> Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°	\$66.3 NO
	(Select pivot point, chart for options).	Angle Adjustable Regular Pivot <sup>12</sup> Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot <sup>12</sup> Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 7°	NO NO \$66.3 NO
	(Select pivot point,	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot 12  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 7°  angle Adjustable Pivot 7°  ngle	\$66.3 NO NO NO NO
	(Select pivot point, chart for options).	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot 12  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 6°  Angle Adjustable Pivot 7°  Ingle  Back Angle - 15°	\$66.3 NO \$66.3 NO NO
	(Select pivot point, chart for options).	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot 12  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 6°  Angle Adjustable Pivot 7°  Angle Adjustable Pivot 7°  Back Angle - 15°  Back Angle - 12°	NO N
	(Select pivot point, chart for options).	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot 12  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 6°  Angle Adjustable Pivot 7°  Ingle  Back Angle - 15°	NO N
	(Select pivot point, chart for options).	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot 12  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 6°  Angle Adjustable Pivot 7°  Angle Adjustable Pivot 7°  Back Angle - 15°  Back Angle - 12°	NO N
	(Select pivot point, chart for options).	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot 12  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 6°  Angle Adjustable Pivot 7°  angle Adjustable Pivot 7°  ngle  Back Angle - 15°  Back Angle - 12°  Back Angle - 6°	NO NO \$66.3 NO NO NO NO NO NO NO NO NO NO NO NO NO
	(Select pivot point, chart for options).	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot 12  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 6°  Angle Adjustable Pivot 7°  angle Adjustable Pivot 7°  Back Angle - 15°  Back Angle - 12°  Back Angle - 0°  Back Angle - 0°  Back Angle + 3°	NO NO \$66.3 NO NO NO NO NO NO NO NO NO NO NO NO NO
	(Select pivot point, chart for options).  Optional Pre-Set A	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot 12  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 6°  Angle Adjustable Pivot 7°  angle Adjustable Pivot 7°  Back Angle - 15°  Back Angle - 12°  Back Angle - 0°  Back Angle - 0°  Back Angle + 3°	NO N
	(Select pivot point, chart for options).  Optional Pre-Set A	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot 12  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 6°  Angle Adjustable Pivot 7°  angle Adjustable Pivot 7°  Back Angle - 15°  Back Angle - 6°  Back Angle - 0°  Back Angle + 3°  See Chart)	NO N
	(Select pivot point, chart for options).  Optional Pre-Set A	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot 12  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 6°  Angle Adjustable Pivot 7°  angle Adjustable Pivot 7°  Back Angle - 15°  Back Angle - 6°  Back Angle - 0°  Back Angle + 3°  See Chart)  Low	NO N
	(Select pivot point, chart for options).  Optional Pre-Set All  Back Tube Height (	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot 12  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 6°  Angle Adjustable Pivot 7°  Ingle  Back Angle - 15°  Back Angle - 12°  Back Angle - 0°  Back Angle + 3°  See Chart)  Low  Medium	NO N
	(Select pivot point, chart for options).  Optional Pre-Set All  Back Tube Height (	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3°  Angle Adjustable Pivot 4°  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 5°  Angle Adjustable Tall Pivot 12  Angle Adjustable Pivot 5°  Angle Adjustable Pivot 6°  Angle Adjustable Pivot 7°  angle Adjustable Pivot 7°  Back Angle - 15°  Back Angle - 6°  Back Angle - 0°  Back Angle + 3°  See Chart)  Low  Medium  Tall	NO N
	(Select pivot point, chart for options).  Optional Pre-Set All  Back Tube Height (	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3° Angle Adjustable Pivot 4° Angle Adjustable Pivot 5° Angle Adjustable Pivot 5° Angle Adjustable Tall Pivot 12 Angle Adjustable Pivot 5° Angle Adjustable Pivot 6° Angle Adjustable Pivot 7° Angle Adjustable Pivot 7° Angle Adjustable Pivot 7° Back Angle - 15° Back Angle - 12° Back Angle - 6° Back Angle - 0° Back Angle + 3° See Chart) Low Medium Tall Int (See Chart for Desired Height)	NO N
000000000000000000000000000000000000000	(Select pivot point, chart for options).  Optional Pre-Set All  Back Tube Height (	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3° Angle Adjustable Pivot 4° Angle Adjustable Pivot 5° Angle Adjustable Pivot 5° Angle Adjustable Tall Pivot 12 Angle Adjustable Pivot 5° Angle Adjustable Pivot 6° Angle Adjustable Pivot 7° Angle Adjustable Pivot 7° Back Angle - 15° Back Angle - 12° Back Angle - 6° Back Angle - 0° Back Angle + 3° See Chart) Low Medium Tall Ight (See Chart for Desired Height) 12"	NO N
	(Select pivot point, chart for options).  Optional Pre-Set All  Back Tube Height (	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3° Angle Adjustable Pivot 4° Angle Adjustable Pivot 5° Angle Adjustable Pivot 5° Angle Adjustable Tall Pivot 12 Angle Adjustable Tall Pivot 5° Angle Adjustable Pivot 5° Angle Adjustable Pivot 6° Angle Adjustable Pivot 7° ngle Back Angle - 15° Back Angle - 12° Back Angle - 6° Back Angle - 0° Back Angle + 3° See Chart) Low Medium Tall pht (See Chart for Desired Height) 12" 13" 14"	NO N
	(Select pivot point, chart for options).  Optional Pre-Set All  Back Tube Height (	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3° Angle Adjustable Pivot 4° Angle Adjustable Pivot 5° Angle Adjustable Pivot 5° Angle Adjustable Tall Pivot 12 Angle Adjustable Tall Pivot 6° Angle Adjustable Pivot 7° Angle Adjustable Pivot 7° Angle Adjustable Pivot 7° Back Angle - 15° Back Angle - 12° Back Angle - 0° Back Angle - 0° Back Angle + 3° See Chart) Low Medium Tall Joht (See Chart for Desired Height) 12" 13" 14"	NO N
	(Select pivot point, chart for options).  Optional Pre-Set All  Back Tube Height (	Angle Adjustable Regular Pivot 12 Angle Adjustable Pivot 3° Angle Adjustable Pivot 4° Angle Adjustable Pivot 5° Angle Adjustable Pivot 5° Angle Adjustable Tall Pivot 12 Angle Adjustable Pivot 5° Angle Adjustable Pivot 6° Angle Adjustable Pivot 7° Ingle Adjustable Pivot 7° Ingle Back Angle - 15° Back Angle - 12° Back Angle - 0° Back Angle - 0° Back Angle + 3° See Chart) Low Medium Tall Introduction (See Chart for Desired Height) 12" 13" 14" 15"	NO N
	(Select pivot point, chart for options).  Optional Pre-Set All  Back Tube Height (	Angle Adjustable Regular Pivot 12  Angle Adjustable Pivot 3° Angle Adjustable Pivot 4° Angle Adjustable Pivot 5° Angle Adjustable Pivot 5° Angle Adjustable Tall Pivot 12 Angle Adjustable Tall Pivot 6° Angle Adjustable Pivot 7° Angle Adjustable Pivot 7° Angle Adjustable Pivot 7° Back Angle - 15° Back Angle - 12° Back Angle - 0° Back Angle - 0° Back Angle + 3° See Chart) Low Medium Tall Joht (See Chart for Desired Height) 12" 13" 14"	NO N

	Optional Back Hei	ght (Continued)		
		20"	NC	
		21"	NC	
3. DEF	TH ADJUSTABLE I	BACK <sup>6,13,14</sup>		
	(Backrest set 2" re	ear of seat tube w/1" adj. Forward)	<u>.</u>	
		Depth Adjustable Back 15,16,17,18	\$74.37	
	Stroller Handle (Re	equired)		
		Depth Adj. Back Post Standard	NC	
		Depth Adj. Back Post Med	NC	
		Depth Adj. Back Post Tall	NC	
	Stroller Handle Op	otions		
		Extension (Removable)	\$34.17	
		Depth Adj. Back Swing-Away	\$40.20	
		Depth Adj. Solid Back (Opt.)	\$38.19	
		Depth Adjustable 12"	NC	
		Depth Adjustable 14"	NC	
	Depth Adjustable 16"			
	Depth Adjustable 18" NC			
		Depth Adjustable 20"	NC	
		Solid Back Hardware Only	\$32.16	
		ARMREST		
Armre	st			
	E0973	Flip Back Height Adj 3,13,19,20,21,22	\$98.49	
		Desk Length (10")	NC	
		Full Length (14")	NC	
	E0973	Height Adjustable Kids	\$92.46	
		Desk Length (10")	NC	
		Full Length (14")	NC	
	E0973	Height Adjustable Adult	\$92.46	
		Desk Length (10")	NC	
		Full Length (14")	NC	
		Flip Back 3,13,19,20	\$38.19	
	E0973	Adj. Locking Flip-up 19,23	\$92.46	
	E0973	Length Adjustable Locking Flip-up <sup>23</sup>	\$94.47	
		Desk Length (10")	NC	

### FOOTNOTES:

- <sup>1</sup> Only available with Standard Upholstery.
- <sup>2</sup> Standard with push handles.
- <sup>3</sup> Not available with depth adjustable back.
- <sup>4</sup> Not available with fabric side guards.
- <sup>5</sup> The laterals may interfere with some armrest heights. Pads cannot be adjusted near the seat rail as it will interfere with folding.
- <sup>6</sup> Not available in heavy duty package.
- <sup>7</sup> Not available with stroller handles.
- $^{\rm 8}$  Standard with Heavy Duty or Transit Option.
- $^{\rm 9}$  Not available with push handles when angle adjustable back is selected.
- $^{\rm 10}$  Not available with amputee axle plate.
- <sup>11</sup> Omit push handles.
- $^{\rm 12}$  Not available with flip-back or flip-back height adjustable armrests.
- <sup>13</sup> Not available with Xtender Power Assist Option.
- <sup>14</sup> Not available with Standard Back Type.
- <sup>15</sup> Not available with swing-away or flip-back armrests; height adjustable armrests available at swing-away price.
- <sup>16</sup> Standard with stroller handles.
- <sup>17</sup> Not available with rounded rear side frames.
- <sup>18</sup> Not available with sling back upholstery.
- <sup>19</sup> Not available with kids frame, amputee axle plate, highest axle plate position on rounded rear frame.
- $^{\rm 20}$  Not available with angle adjustable back rest.
- <sup>21</sup> Not available with Jay Precision Back.
- <sup>22</sup> Not available with Unilateral wheel lock.
- <sup>23</sup> Only available with Depth Adjustable Back.
- <sup>24</sup> Only available with Folding Stabilizer Bar.
- <sup>25</sup> Should additionally be billed as E0956.

Armres	st (Continued)		
	, , , , , , , , , , , , , , , , , , , ,	Full Length Arm (14")	NC
		Padded Swing-Away Adult 1,2,3	NC
		Padded Swing-Away Medium 1,2,3	NC
		Padded Swing-Away Kids 1,2,3	NC
		Omit Armrest	NC
	F00	TREST - Choose from 1 or 2	
. Han		with Extension Tube)	
	Hanger		
		60" Swing Away Hanger	NC
		70" Swing Away Hanger	NC
		70" V Swing Away Hanger 4,5	NC
		70" Hemi Hanger	NC
	K0053	Articulating Hanger <sup>5,6.7,8</sup>	\$130.65
		Elevating Hanger 5,9,10	\$102.51
		Elevating Hemi-Hanger 5,10,12	\$102.51
		Omit Hanger	-\$6.03
	Extension Tube	(Required with Option 1.)	ψ0.00
	Extendion rape	Short (see matrix for lengths)	NC
		Medium (see matrix for lengths)	NC
		Long (see matrix for lengths)	NC NC
		Short ELR (elevating leg rest only)	NC
		Long ELR (elevating leg rest only)	NC NC
	K0027	High Mount 11,32	\$22.11
	Footplate	riigii Modiit	φ <b>∠</b> ∠.11
	1 ootplate	Composite w/Heel Loop 12,13	NC
		Foam Footplate w/Leg Strap	\$22.11
		Aluminum Footplate 114	ΨΖΖ.ΤΤ NC
	K0040	Adult Angle Adj. w/Heel Loop 12,13	
_			\$60.30
_		Flationii Fiip Op W/Leg Strap	\$62.31
	K0040	Locking Angle Adjustable 16	\$66.33
	Footrest Options	Omit Footplate Extension Tube	-\$6.03
	rootiest Options		NO
		Omit Heel Loop Omit Leg Strap	NC NC
	Impact Guard	Offilit Leg Strap	INO
	impact duard	Neoprene 15	\$34.17
Han	ger Type (Direct	•	ψ04.17
	Hanger		
		70° Swing Away Front Mount 17	NC
	•	70 Owing 7 way 1 Tont Mount	
		80° Swing Away Front Mount 17	
		80° Swing Away Front Mount 17	NC
	Engan	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup>	NC NC
	E0990	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup>	NC NC \$102.51
_ _	E0990 E0990	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup>	NC NC \$102.51 \$102.51
	E0990	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger	NC NC \$102.51
	E0990 E0990 Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger	NC 8102.51 \$102.51 -\$6.03
	E0990	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger ional) 2" <sup>18,20</sup>	NC \$102.51 \$102.51 -\$6.03
	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger ional) 2" <sup>18,20</sup>	NC 8102.51 \$102.51 -\$6.03
	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger ional) 2" <sup>18,20</sup> 4" <sup>18,20</sup>	NC NC \$102.51 \$102.51 -\$6.03 \$12.06
	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger <sup>18,20</sup> 4" <sup>18,20</sup> Kids Angle Adj. (10"-16"W)	NC NC \$102.51 \$102.51 -\$6.03 \$12.06 \$12.06
	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger ional) 2" <sup>18,20</sup> 4" <sup>18,20</sup> Kids Angle Adj. (10"-16"W) Adult Angle Adj. <sup>13</sup>	NC NC \$102.51 \$102.51 -\$6.03 \$12.06 \$12.06
	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger ional) 2" <sup>18,20</sup> 4" <sup>18,20</sup> Kids Angle Adj. (10"-16"W) Adult Angle Adj. <sup>13</sup> 90° Footboard <sup>21,22,23</sup>	NC NC \$102.51 \$102.51 -\$6.03 \$12.06 \$12.06 \$60.30 \$60.30
	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger  ional) 2" <sup>18,20</sup> 4" <sup>18,20</sup> Kids Angle Adj. (10"-16"W)  Adult Angle Adj. <sup>13</sup> 90° Footboard <sup>21,22,23</sup> Omit Footplate	NC NC \$102.51 \$102.51 -\$6.03 \$12.06 \$12.06
	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger ional) 2" <sup>18,20</sup> 4" <sup>18,20</sup> Kids Angle Adj. (10"-16"W) Adult Angle Adj. <sup>13</sup> 90° Footboard <sup>21,22,23</sup>	NC NC \$102.51 \$102.51 -\$6.03 \$12.06 \$12.06 \$60.30 \$60.30
	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger  Omit Hanger  onal) 2" <sup>18,20</sup> 4" <sup>18,20</sup> 4" <sup>18,20</sup> Kids Angle Adj. (10"-16"W) Adult Angle Adj. <sup>13</sup> 90° Footboard <sup>21,22,23</sup> Omit Footplate  CASTERS	\$102.51 \$102.51 -\$6.03 \$12.06 \$12.06 \$60.30 \$60.30 -\$6.03
	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger  fonal) 2" <sup>18,20</sup> 4" <sup>18,20</sup> Kids Angle Adj. (10"-16"W) Adult Angle Adj. <sup>13</sup> 90° Footboard <sup>21,22,23</sup> Omit Footplate  CASTERS  4" Polyurethane <sup>24</sup>	\$102.51 \$102.51 \$102.51 -\$6.03 \$12.06 \$12.06 \$60.30 \$60.30 -\$6.03
Caster	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger  Omit Hanger  Omit Hanger  In 18,20  4" 18,20  Kids Angle Adj. (10"-16"W)  Adult Angle Adj. <sup>13</sup> 90° Footboard <sup>21,22,23</sup> Omit Footplate  CASTERS  4" Polyurethane <sup>24</sup> 4" Micro Lighted	\$102.51 \$102.51 \$102.51 -\$6.03 \$12.06 \$12.06 \$60.30 \$60.30 \$60.30 \$26.13
Caster	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger  Omit Hanger  Omit Hanger  In 18,20  4" 18,20  Kids Angle Adj. (10"-16"W)  Adult Angle Adj. <sup>13</sup> 90° Footboard <sup>21,22,23</sup> Omit Footplate  CASTERS  4" Polyurethane <sup>24</sup> 4" Micro Lighted 5" Low Profile Polyurethane	\$102.51 \$102.51 \$102.51 -\$6.03 \$12.06 \$12.06 \$60.30 \$60.30 \$60.30 \$26.13
Caster	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger  Omit Hanger  onal) 2" <sup>18,20</sup> 4" <sup>18,20</sup> Kids Angle Adj. (10"-16"W)  Adult Angle Adj. <sup>13</sup> 90° Footboard <sup>21,22,23</sup> Omit Footplate  CASTERS  4" Polyurethane <sup>24</sup> 4" Micro Lighted 5" Low Profile Polyurethane 5" x 1.5" Semi-Pneumatic <sup>25</sup>	\$102.51 \$102.51 \$102.51 -\$6.03 \$12.06 \$12.06 \$60.30 \$60.30 -\$6.03 \$26.13 \$26.13
Caster	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger  Omit Hanger  onal) 2" <sup>18,20</sup> 4" <sup>18,20</sup> Kids Angle Adj. (10"-16"W)  Adult Angle Adj. <sup>13</sup> 90° Footboard <sup>21,22,23</sup> Omit Footplate  CASTERS  4" Polyurethane <sup>24</sup> 4" Micro Lighted 5" Low Profile Polyurethane 5" x 1.5" Semi-Pneumatic <sup>25</sup> 5" Soft Roll Semi Pnuematic	\$102.51 \$102.51 \$102.51 -\$6.03 \$12.06 \$12.06 \$60.30 \$60.30 -\$6.03 \$26.13 \$26.13 \$26.13
caster	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger  Omit Hanger  Ional) 2" <sup>18,20</sup> 4" <sup>18,20</sup> Kids Angle Adj. (10"-16"W)  Adult Angle Adj. <sup>13</sup> 90° Footboard <sup>21,22,23</sup> Omit Footplate  CASTERS  4" Polyurethane <sup>24</sup> 4" Micro Lighted 5" Low Profile Polyurethane 5" x 1.5" Semi-Pneumatic <sup>25</sup> 5" Soft Roll Semi Pnuematic 6" Pneumatic	\$102.51 \$102.51 \$102.51 -\$6.03 \$12.06 \$12.06 \$60.30 \$60.30 -\$6.03 \$26.13 \$26.13 \$26.13 \$34.17 \$34.17
Caster	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger  Omit Hanger  In 18,20  4" 18,20  Kids Angle Adj. (10"-16"W)  Adult Angle Adj. <sup>13</sup> 90° Footboard <sup>21,22,23</sup> Omit Footplate  CASTERS  4" Polyurethane <sup>24</sup> 4" Micro Lighted 5" Low Profile Polyurethane 5" x 1.5" Semi-Pneumatic <sup>25</sup> 5" Soft Roll Semi Pnuematic 6" Pneumatic 6" Pneumatic	\$102.51 \$102.51 \$102.51 -\$6.03 \$12.06 \$12.06 \$60.30 \$60.30 -\$6.03 \$26.13 \$26.13 \$26.13 NC \$34.17 \$34.17
Caster	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger  Omit Hanger  Omit Hanger  In 18,20  4" 18,20  Kids Angle Adj. (10"-16"W)  Adult Angle Adj. <sup>13</sup> 90° Footboard <sup>21,22,23</sup> Omit Footplate  CASTERS  4" Polyurethane <sup>24</sup> 4" Micro Lighted 5" Low Profile Polyurethane 5" x 1.5" Semi-Pneumatic <sup>25</sup> 5" Soft Roll Semi Pnuematic 6" Pneumatic 6" Polyurethane 6" x 1.5" Semi-Pneumatic <sup>25</sup>	\$102.51 \$102.51 \$102.51 -\$6.03 \$12.06 \$12.06 \$60.30 \$60.30 \$60.30 \$26.13 \$26.13 \$26.13 NC \$34.17 \$30.15 NC
Caster	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger  Omit Hanger  Omit Hanger  In 18,20  White the second of the seco	\$102.51 \$102.51 -\$6.03 \$12.06 \$12.06 \$60.30 \$60.30 -\$6.03 \$26.13 \$26.13 \$26.13 NC \$34.17 \$30.15 NC
caster	Extensions (Opti	80° Swing Away Front Mount <sup>17</sup> 90° Swing Away Hanger <sup>17</sup> 90° Elevating Hanger <sup>12,19</sup> 90° Elevating Hemi Hanger <sup>9,19</sup> Omit Hanger  Omit Hanger  Omit Hanger  In 18,20  4" 18,20  Kids Angle Adj. (10"-16"W)  Adult Angle Adj. <sup>13</sup> 90° Footboard <sup>21,22,23</sup> Omit Footplate  CASTERS  4" Polyurethane <sup>24</sup> 4" Micro Lighted 5" Low Profile Polyurethane 5" x 1.5" Semi-Pneumatic <sup>25</sup> 5" Soft Roll Semi Pnuematic 6" Pneumatic 6" Polyurethane 6" x 1.5" Semi-Pneumatic <sup>25</sup>	\$102.51 \$102.51 -\$6.03 \$12.06 \$12.06 \$60.30 \$60.30 -\$6.03 \$26.13 \$26.13 NC \$34.17 \$30.15 NC

Caster Wheel (Continued)				
	01111111111	8" x 2" Pneumatic <sup>20,26</sup>	\$58.29	
	K0064	8" x 2" Pneumatic w/Airless Insert 20,26	\$90.45	
		Omit Caster Wheels	NC	
Caster Options				
		Multi Position Fork 27	NC	
		3/4" Longer Fork Stem Bolt 3	NC	
		1-1/2" Longer Form Stem Bolt 3	NC	
	K0073	Caster Pin Locks (N/A w/8"x2") 3	\$32.16	
		Quick-Release Caster Stems 3,28	\$64.32	
	E1015	Frog Legs <sup>19,24,27,29</sup>	\$130.65	
AXLE AND WHEEL				

	AXEE AND WHEEL	
Axle Plate		
	Standard Adjustable 3,30	NC
	E0959 Amputee Adjustable 3,31	\$70.35
	Curved Adjustable 3,32	\$22.11
	Offset 3,33	NC
· ·		

### FOOTNOTES:

- <sup>1</sup> Not available with depth adjustable back.
- <sup>2</sup> Not available with amputee axle plate.
- <sup>3</sup> Not available with Xtender Power Assist Option.
- <sup>4</sup> Available with 17"-20" frame widths and composite or angle adjustable footplates only; 13"-20" widths available with foam footplates and platform flip-up.
- <sup>5</sup> Not available with locking angle adjustable footplates or short extension tubes.
- <sup>6</sup> Only available with composite and adult angle adjustable footplates.
- <sup>7</sup> Not available with high-push wheel locks.
- <sup>8</sup> Not available with short extension tubes.
- <sup>9</sup> Available on 12"-22" frame widths.
- <sup>10</sup> Only available with aluminum footplates or angle adjustable.
- <sup>11</sup> Not available with elevating leg rests.
- 12 Available on 14"-22" widths.
- <sup>13</sup> Heel loops included at no charge.
- <sup>14</sup> Only available with elevating hangers.
- <sup>15</sup> Only available with 60°, 70°, 70°V or hemi hangers.
- <sup>16</sup> Not available below 14" widths and 'V' hangers.
- <sup>17</sup> Only available with kids angle adjustable, adult angle adjustable, or 90° footboar footplates
- <sup>18</sup> Not available with 6" or 8" caster.
- <sup>19</sup> Not available with 8" casters.
- $^{20}$  Not available with  $90^{\circ}$  hangers and elevating leg rest.
- <sup>21</sup> Only available with 60°, 70°, 70°V hangers.
- <sup>22</sup> Only available up to 16" width.
- <sup>23</sup> Only available with 60°, 70° or 70°V hangers and 70°, 80°, and 90° direct mount.
- <sup>24</sup> Not available in heavy duty package.
- <sup>25</sup> Only available for use in bottom fork holes.
- <sup>26</sup> Not available with kids frame length.
- $^{\rm 27}$  Not available with quick-release caster stems.
- $^{28}$  Not available with caster pin locks; not available with 3/4" or 1-1/2" fork stem bolt; not available with 8" x 2" casters.
- <sup>29</sup> Not available with caster pin locks and not available with +3/4" or 1-1/2" fork stem bolt.
- 30 Lowest two axle plate positions not available with rounded rear frame and 20" rear wheels with 8" casters.
- <sup>31</sup> Not available with swing-away or flip-back armrests; height adjustable armrests available at swing-away price.
- <sup>32</sup> Not available with One-Arm drive option.
- 33 Rear seat height will adjust in 1/2" increments. Rear seat height will be 1/4" lowe than standard rear seat height.
- <sup>34</sup> Should additionally be billed as E0951.

V797P-3821K

One Arm Drive	2,4,5,6,7,8,	9		
One Arm Drive		One Arm Drive Adj. Axle Plate	<b>£</b>	341.70
	L0930	Small Handrim (N/A w/20" Wheels)	Ψ	NC
		Right Hand Mount		NC
		Left Hand Mount		NC NC
		Standard Handrim		NC
		Right Hand Mount		NC
		Left Hand Mount		NC
Axle 10		2011 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		Quick Release		Std
		Quad Quick Release	\$	36.18
		Omit Control of the C	Ψ	NC
Anti-Tip		- China		110
□ 001AT6	E0971	Rear Anti-Tip 13	\$	54.27
Rear Wheel Typ		Treat Ann Tip	Ψ	04.27
		20" Mag		NC
		20" Mag 20" Spoke	\$	80.40
		22" Mag	Φ	NC
		22" Spoke	\$	80.40
		24" Mag	Ψ	NC
		24" Spoke		NC NC
		26" Spoke	\$	24.12
		24" Spinergy Black <sup>21</sup>	÷	279.39
		24" Spinergy Yellow <sup>21</sup>		279.39
		24" HT 559 Spinergy Black <sup>25</sup>	_	
				279.39
		26" Spinergy Black <sup>1</sup>		279.39
		26" Spinergy Yellow <sup>1</sup>		279.39
		Omit Rear Wheel and Axle	\$	(22.11)
	10	(Intended Size for Set Up)		
Rear Wheel Tire	) "			
		Pneumatic		NC
	K0064	Pneumatic Airless Insert 5	\$	28.14
		Full Polyurethane		NC
		Low Polyurethane <sup>5</sup>		NC
		Kevlar 15	\$	38.19
		High Pressure Clincher 14,16	\$	38.19
Handrim 10				
		Aluminum Anodized		NC
		Plastic Coated	\$	34.17
		Omit	\$	(8.04)
Projection Hand	drim <sup>10</sup> (l	Projections Not Available on Plastic Coated)		
		8 Oblique 16,25	\$	78.39
		8 Vertical <sup>16,17,25</sup>	\$	78.39
		12 Oblique <sup>16,25</sup>	\$	78.39
		12 Vertical <sup>16,17,25</sup>	\$	78.39
Wheel Lock			Ψ	. 0.00
		High Mount Push		NC
		High Mount Pull		NC
		Unilateral Push Lock Right <sup>18</sup>	\$	80.40
		Unilateral Push Lock Left 18	\$	80.40
		High Mount Scissor 19	Ψ	NC
		Do Not Mount		NC
		Omit		NC
Extension Hand	lle <sup>20</sup>			
	E0961	6" Pair	\$	24.12
	E0961	6" Left	\$	12.06
	E0961	6" Right	\$	12.06
Grade Aid			•	
	E0974	Grade Aid <sup>20,21</sup>	\$	60.30
		ACCESSORIES	Ť	
Backpack				
		Black Utility Backpack	\$	22.11
		Black/Charcoal Kids	\$	20.10
			Ψ_	

0 . 0 .				
Seat Pouch		Disal	\$	40.00
0		Black	ъ	18.09
Crutch Holder		20		
	K0102	Crutch Holder 22	\$	26.13
Extra Leg Strap				
	K0038	Black	\$	12.06
Misc.				
<u> </u>		Caddy	\$	18.09
		Tool Kit	\$	10.05
		Travel Wheels <sup>2,23</sup>	\$	50.25
Positioning Belt				
	E0978	Belt 1.5" Auto Buckle w/Clamps	\$	24.12
	E0978	Belt 2" Aircraft Buckle w/Clamps	\$	34.17
	E0978	Belt 2" Aircraft Buckle Pad w/Clamp	\$	46.23
		Positioning Belt Slide Clamps	\$	14.07
Spoke Guard <sup>2,2</sup>	5	·		
	K0065	Black	\$	36.18
	K0065	Clear	\$	36.18
Touch-Up Paint				
		Frame	\$	10.05
		X-Tube	\$	10.05
Wheelchair Tray	Table			
	E0950	Tray Table	\$	80.40
Side Guard				
		Fabric Regular <sup>24</sup>	\$	18.09
		Fabric Kids <sup>24</sup>	\$	18.09
		Plastic Kids <sup>25</sup>	\$	48.24
		Plastic Regular <sup>25</sup>	\$	48.24
		-	•	
DESIRED S	EAT HEI	GHT SET UP: Front Rear		

## TOTAL CHAIR PRICE:

<sup>1</sup> Available with High pressure clincer, Pneumatic Tires only.

<sup>2</sup> Not available with Xtender Power Assist Option.

- <sup>3</sup> Rear seat height will adjust in 1/2" increments. Rear seat height will be 1/4" low than standard rear seat height.
- <sup>4</sup> Not available with amputee axle plate.
- <sup>5</sup> Not available with 26" wheels.

**FOOTNOTES:** 

Quickie 2, August 2005

- $^{\rm 6}$  Not available for 21" or 22" widths.
- <sup>7</sup> Not available with 11" or 12" frame width, heavy duty package or extra small tray
- <sup>8</sup> Only available with mag wheels.
- <sup>9</sup> Not available with padded swing-away armrests and anti-tips.
- <sup>10</sup> Not applicable when Xtender Power Assist Option is chosen.
- <sup>11</sup> Not available with caster pin locks.
- <sup>12</sup> Not available with transit option.
- <sup>13</sup> Xtender Power Assist Option includes rear anti-tip.
- <sup>14</sup> Not available with mag wheels.
- <sup>15</sup> Only available with 24" rear wheels.
- <sup>16</sup> Only available with 24" or 26" rims.
- <sup>17</sup> Not available with low profile poly tires.
- <sup>18</sup> Not available with grade aids or extension handles.
- <sup>19</sup> Not available with kids frame, amputee axle plate, or highest axle plate position on rounded rear frame.
- <sup>20</sup> Not available with scissor wheel locks.
- <sup>21</sup> Not available with polyurethane or high-pressure clincher tires; not available with kids length frames.
- <sup>22</sup> Can only mount on left side when Xtender Power Assist Option is chosen.
- <sup>23</sup> Not available with heavy duty package or low profile poly tires.
- <sup>24</sup> Not available with Jay Precision Back.
- <sup>25</sup> Not available with height adjustable, flip-back height-adjustable armrests.
- <sup>26</sup> Not available with Spinergy Wheels.


### JAY SEATING OPTIONS\*

Select Cushion		Select Back
	Jay Basic (E2601)	□Jay 2 Back Std Height (E2613)
	Jay Soft Combi P(E2605)	□Jay 2 Back Tall (E2613)
	Jay Xtreme (E2603)	□Jay Back (K0669)
	Jay Xtreme S (E2603)	□Jay 2 Xtreme (K0669)
	Jay Triad (E2603)	□Jay 2 Plus (E2613/E2614)
	Jay Triad P (E2603)	□Jay Care (E2615)
	Jay Care (K0669)	
	Jay Duo (E2603)	Indicate Backrest Width
	Jay Easy (E2607)	
	Jay 2 (K0108)	Indicate Exact Cushion Dimensions
	Jay 2 Recline (K0108)	(w" x d")
	Jav 2 Deep Contour (K0108)	

If a modification is necessary to achieve your cushion or backrest dimensions, do you want customer service to notify you prior to placing this order?

#### **Please Choose**


- □ Send Quote for any Modification
  □ Send Quote only when a modification has a charge
  □ Fax me #\_\_\_\_
  □ Email me
- \* Please see Jay Price List for latest pricing information. Also, note that Jay cushions and backs may ship from different distribution centers.




	Seat Sling to Top of Footplate Range		Seat Sling to Top of Footplate Range
0° Swing-Away - Short Ext.	13 - 16 3/4	70° "V" Swing-Away - Short Ext.	14 3/4 - 17 1 <i>/</i> 2
60° Swing-Away - Medium Ext.	15 1/2 - 19 1/4	70° "V" Swing-Away - Medium Ext.	16 3/4 - 19 1 <i>[</i> 2
60° Swing-Away - Long Ext.	18 - 21 3/4	70° "V" Swing-Away - Long Ext.	18 3/4 - 21 1/2
60° Platform Flip-Up - Short	12 3/8 - 16 3/8	70° "V" Platform Flip-Up - Short	13 3/8 - 16 1/8
60° Platform Flip-Up - Medium	14 1/2 - 18 1/2	70° "V" Platform Flip-Up - Medium	15 1/2 - 18 1/4
60° Platform Flip-Up - Long	17 - 21	70° "V" Platform Flip-Up - Long	18 - 20 3/4
70° Swing-Away - Short Ext.	13 1/2 - 16 1/4	70° Hemi - Short Ext.	13 3/4 - 16 1/4
70° Swing-Away - Medium Ext.	15 - 18 3/4	70° Hemi - Medium Ext.	16 1/4 - 18 3/4
70° Swing-Away - Long Ext.	17 1/2 - 21 1/4	70° Hemi - Long Ext.	18 3/4 - 21 1/4
70° Platform Flip-Up - Short	13 1/2 - 16 3/8	70° Hemi Platform Flip-Up - Short	14 3/8 - 16 3/8
70° Platform Flip-Up - Medium	15 1/4 - 18 1/4	70° Hemi Platform Flip-Up - Medium	16 1/2 - 18 1/4
70° Platform Flip-Up - Long	17 3/4 - 20 3/4	70° Hemi Platform Flip-Up - Long	19 - 20 3/4

<sup>\*</sup> All adjustment ranges may vary due to seat height restrictions. Recommended 2 1/2" footrest clearance to ground surface.

ANGLE ADJUSTABLE BACKREST CHART				
Back Tube Height	LOW	MEDIUM	TALL	
Pivot Regular set at 3"	12" <b>13"</b> 14"	15" <b>16"</b> 17"	17" <b>18"</b> 19"	
Pivot Regular set at 4"	13" <b>14"</b> 15"	16" <b>17"</b> 18"	18" <b>19"</b> 20"	
Pivot Regular set at 5"	14" <b>15"</b> 16"	17" <b>18"</b> 19"	19" <b>20"</b> 21"	
Pivot Tall set at 5"	14" <b>15"</b> 16"	17" <b>18"</b> 19"	19" <b>20"</b> 21"	
Pivot Tall set at 6"	15" <b>16"</b> 17"	18" <b>19"</b> 20"	N/A	
Pivot Tall set at 7"	16" <b>17"</b> 18"	19" <b>20"</b> 21"	N/A	
Adjustable Pivot Point Preset Measurement from Seat Sling				
If back height option is no	t chosen, middle opti	on will be preset.		





Sunrise Medical 7477 E. Dry Creek Pkwy Longmont, CO 80503 (800) 333-4000

